**Observe** that the document has spaced out the problems so that there space for comments.

Chapter 2 Problems

1. Use Proof by Induction to prove the statement below.

For all 
$$n \in \mathbb{N}$$
,  $\frac{1}{2} + \frac{1}{6} + \dots + \frac{1}{n(n+1)} = \frac{n}{n+1}$ .

2. For a = 23771 and b = 19945, calculate gcd(a, b) and find integers *s* and *t* such that

as+bt = gcd(a,b).


Answer: Your answer goes here.

3. Suppose that *a* and *b* are integers such that gcd(a,b) = 1. Let *s* and *t* be integers such that as+bt = 1. Prove that gcd(a,s) = gcd(t,b) = gcd(s,t) = 1.

4. Let  $a, b, c \in \mathbb{N}$ . Prove that if gcd(a, b) = 1 and a | bc, then a | c.

Chapter 3 Problems

5. This question is about the symmetries of a **square**, as opposed to the example of the rectangle at the beginning of this section. You may want to use a drawing or permutations to describe your ideas but you don't have to. It's OK to have essay-style answers.



(a) Describe the symmetries of the square. **Answer:** Your answer goes here.

(b) How many symmetries of the square are there?Answer: Your answer goes here. It's going to be just a number!

(c) How many permutations of the set  $\{A, B, C, D\}$  are there? Answer: Your answer goes here. It's going to be just a number! A little explanation of your reasoning here never hurts!

(d) Give an example of a permutation of the set {*A*,*B*,*C*,*D*} that cannot correspond to a symmetry of the square pictured above?Answer: Your answer goes here. Justify your answer

6. Let  $S = \mathbb{R} \setminus \{-1\}$  and define a binary operation \* by a \* b = a + b + ab. Prove that (S, \*) is an abelian group.

7. Give an example of two elements *A* and *B* in  $GL_2(\mathbb{R})$  with  $AB \neq BA$ .

**Answer:** Your answer goes here.

8. Given the groups  $\mathbb{R}^*$  and  $\mathbb{Z}$ , let  $G = \mathbb{R}^* \times \mathbb{Z}$ . Define a binary operation  $\circ$  on G by  $(a,m) \circ (b,n) = (ab, m+n)$ . Prove that  $(G, \circ)$  is a group.

9. Let  $(G, \circ)$  be a group. Let  $g_1, g_2, \dots, g_n \in G$ . Show that the inverse of  $g_1g_2 \cdots g_n$  is  $g_n^{-1} \cdots g_2^{-1}g_1^{-1}$ .