

## REVIEW FOR MIDTERM I

### Logistics

You will have one hour to take the midterm. You can see what your midterm will look like by going to the public webpage and looking at Midterm I from last Fall.

<https://uaf-math251.github.io/exams.html>

All you need to take the exam is a writing utensil. Scratch paper or extra paper will be provided for you, if needed. Books, notes and calculators are not allowed. There will be no problems that require (or need) a calculator.

Our midterm will start promptly at 10:15am, ending at 11:15am. I will be here prior to that to answer questions. Some students will finish early. To ensure that later students don't get an unfair advantage, all students are required to stay in class until 11:15. If you know you are someone who finishes early, you should bring something to work on *that does not require your phone, laptop or tablet*.

### Taking a Math Test

- The only way to earn partial credit for incorrect answers is by writing explanatory work.
- Explanatory work needs to be written in a way that a reader can follow it.
- Write things that are incorrect will generally result in a loss of points. So if something shouldn't be graded, cross it out.

### Topics

#### Section 2.1

Secant lines and tangent lines. Average velocity and instantaneous velocity. Average rate of change and instantaneous rate of change.

Examples:

(a) Sketch the graph  $y = x^3 + 1$ . Find the secant line between the points on the graph where  $x = 1$  and  $x = 3$ . Sketch the secant line on the graph. Find an equation of the tangent line to the graph at  $x = 1$  and sketch it on the graph. (NOTE: We get to answer the second part of this question using our knowledge of the derivative!)

(b) A salmon is swimming up stream and the position of the salmon is given by the function  $d(t) = \frac{1}{2}t^2 - t$  where  $t$  is measured in hours and  $d$  is measured in feet. Find the average velocity of the salmon over the interval from  $t = 2$  to  $t = 4$ . Find the instantaneous velocity of the salmon at  $t = 3$ . Include units.

#### Section 2.2

One-sided and two-sided limits from a graph. Vertical asymptotes and limits.

Examples:

(a) Sketch a graph with *all* of the following properties:

- $f(x)$  is defined for all real numbers. (ie its domain is  $(-\infty, \infty)$ ).
- $\lim_{x \rightarrow 1^-} f(x) = 0$ ,  $\lim_{x \rightarrow 1^+} f(x) = 4$ ,  $f(1) = 4$

- $\lim_{x \rightarrow 3} f(x) = 4, f(4) = -1.$
- $\lim_{x \rightarrow -1^-} f(x) = \infty$

(b) Determine where the graph of  $f(x) = \frac{x}{(x+2)^2}$  has a vertical asymptote and use limits to show that your answer is correct.

### Section 2.3

Evaluating limits algebraically.

Examples: Evaluate  $\lim_{x \rightarrow 9} \frac{3 - \sqrt{x}}{9 - x}$  and  $\lim_{x \rightarrow 1/2^+} \frac{4x^2 - 18x}{2x - 1}$

### Section 2.4

Continuity. From a graph, determine where a graph is or is not continuous. From an algebraic description of a function, determine where a function is or is not continuous. Be able to explain why a function is not continuous at a point. Use the Intermediate Value Theorem.

Examples: (a) Look at your graph from Section 2.2. Where does it fail to be continuous and why?

(b) Determine where the functions  $f(x) = \frac{3 - \sqrt{x}}{9 - x}$  and  $g(x) = \frac{4x^2 - 18x}{2x - 1}$  fail to be continuous and show that your answer is correct algebraically.

(c) Use the Intermediate Value Theorem to show that the equation  $2e^x - 3x - 5 = 0$  has a solution.

### Section 3.1

The relationship between secant lines and the derivative.

Example: Explain what the expression  $f'(a) = \lim_{x \rightarrow a} \frac{f(x) - f(a)}{x - a}$  means in terms of secant lines, tangent lines and the derivative. Draw a picture to illustrate your idea.

### Section 3.2

The derivative as a function. The formal definition of the derivative. The relationship between the graph of  $f(x)$  and the graph of  $f'(x)$ .

Example: Sketch the derivative of your graph from the Section 2.2 example. Use the definition of the derivative to find  $f'(x)$  for  $f(x) = 1/x^2$ .

### Section 3.3

Derivative rules: power, constant, sum/difference, product, quotient, and the derivatives of the sine and cosine functions.

Example: Find the derivative of  $y = 2x^{0.05} - \frac{x}{10} + \frac{\cos(x)}{5}$  and  $f(x) = \frac{x^3}{1-x} + \sin(x)$

### Section 3.4

The derivative as a rate of change. Interpretations of the derivative. Velocity and acceleration.

Example: Assume the distance traveled by a snow machine on a straight trail is given by  $s(t)$  where  $t$  is in hours starting at 12 noon and  $s$  is in miles. Interpret  $s'(4) = 10$ . Interpret  $s(4) - s(0)$ . Interpret  $(s(4) - s(1))/(4 - 1)$ . Using the fact that  $s''(4) = -1.2$ , estimate  $s'(4.5)$ .